

VELP Scientifica Solutions for Incubation



FTC 120



FOC 120E



FOC 215E



FOC 120I



FOC 215I



FOC 215IL

Internal transparent door				•	•	•
Total volume L	120	120	215	120	215	215
Temperature settings °C	20, constant	from 3 to 50	from 3 to 50	from 3 to 50	from 3 to 50	from 3 to 50
Temperature stability and homogeneity °C	± 0.5	± 0.5	± 0.5	± 0.5	± 0.5	± 0.5
Timer						controls lighting cycles
Lighting system						LED
TEMPSoft™ connection		•	•	•	•	•
Electronic thermoregulation system	Traditional	Auto-Tuning	Auto-Tuning	Auto-Tuning	Auto-Tuning	Auto-Tuning
Number of shelves supplied	2	2	4	2	4	4
Maximum number of shelves	2	2	6	2	6	6
Internal socket	2	2	2	2	2	2
Capacity (BOD System)	3 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	3 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	5 x BOD (EVO) Sensor System 6 3 x BOD Sensor System 10	2 x BOD (EVO) Sensor System 6 1 x BOD Sensor System 10	4 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10	4 x BOD (EVO) Sensor System 6 2 x BOD Sensor System 10
Dimensions (WxHxD) mm	540x912x550	540x912x550	540x1263x550	540x912x550	540x1263x550	540x1300x550
(in)	(21.3x35.9x21.7)	(21.3x35.9x21.7)	(21.3x49.7x21.7)	(21.3x35.9x21.7)	(21.3x49.7x21.7)	(21.3x51.2x21.7)
Weight						
Kg	36.0	36.0	46.3	36.0	46.3	50.0
(lb)	(79.4)	(79.4)	(102.1)	(79.4)	(102.1)	(110.2)
Power Supply	230 V	230 V	230 V	230 V	230 V	230 V
Power	120 W	120 W	400 W	120 W	400 W	400 W



www.velp.com